



## **IxNetwork Report**

**Test: RFC2544 - Throughput/Latency**

**Test Date: 7/12/2022 13:30:41**

[www.ixiacom.com](http://www.ixiacom.com)  
[www.ixiacom.com/support](http://www.ixiacom.com/support)

## Table of Contents

1.	Cover	1
2.	Info	3
3.	Port Map	4
4.	Aggregate Graphs	5
5.	IterationCharts	13
6.	Aggregated Results	19
7.	Aggregated Results Per Iteration	20
8.	Per Flow Results	25
9.	Iteration Data	27
10.	Theoretical Max Rates	36

**RFC2544 - Throughput/Latency - Info****Test Information****Product Information**

Product Label :	S3200P-24T4X
Product Version :	2.0.0D
Serial Number :	U50LA642311
Comments :	

**Test Settings**

Date Executed :	7/12/2022
Time Executed :	13:30:41
User Name :	NDD.COM
Number of Trials Executed :	1
Stream Duration (sec) :	20

**Output Parameters**



Number of Trials Passed :	N/A
Test Duration :	00:33:12

**RFC2544 - Throughput/Latency - Port Map Information**

Port Map :	Tx Port	Tx Speed (Mbps)	Rx Port	Rx Speed (Mbps)
	10.12.100.101:1	1000	10.32.100.101:1:2	1000

RFC2544 - Throughput/Latency - Aggregated Graph



# Total Frames Transmitted and Received



Trial - Framesize - Iteration


RFC2544 - Throughput/Latency - Aggregated Graph

### Tx / Rx Frames per Frame Size




**RFC2544 - Throughput/Latency - Aggregated Graph**

### Aggregated Frame Loss



RFC2544 - Throughput/Latency - Aggregated Graph


### Aggregated Frame Loss per Frame Size






RFC2544 - Throughput/Latency - Aggregated Graph

### Aggregated Frame Loss per Line Rate




RFC2544 - Throughput/Latency - Per Flow Graph

### Average Frame Loss per Flow





RFC2544 - Throughput/Latency - Aggregated Graph

### Aggregated Latency



RFC2544 - Throughput/Latency - Per Flow Graph


# Tx / Rx Frame Count




Trial

**RFC2544 - Throughput/Latency - Iteration Graph**


**Aggregated Frame Loss for Trial 1 and Framesize 64**




**Aggregated Frame Loss for Trial 1 and Framesize 128**




**Aggregated Frame Loss for Trial 1 and Framesize 256**




**Aggregated Frame Loss for Trial 1 and Framesize 512**




### Aggregated Frame Loss for Trial 1 and Framesize 1024



### Aggregated Frame Loss for Trial 1 and Framesize 1280




### Aggregated Frame Loss for Trial 1 and Framesize 1518






RFC2544 - Throughput/Latency - Iteration Graph

### Tx / Rx Frames per Frame Size



RFC2544 - Throughput/Latency - Iteration Graph



**RFC2544 - Throughput/Latency - Aggregated Results**

Trial / Framesize / Iteration	Agg L2 Throughput				Agg L1 Throughput		Throughput (frames)	Agg Latency		
	Agg Tx Rate %	Agg Rx Rate			Tx Rate Mbps	Rx Rate Mbps		Min (ns)	Max (ns)	Average (ns)
		%	FPS	Mbps						
Trial: 1 / FS: 64 / Iter: 9	100.00	100	1488095.2	761.905			Tx : 29761905.000 Rx : 29761905.000 Loss : 0 Loss% : 0.00	3345	4355	3638.000
Trial: 1 / FS: 128 / Iter: 9	100.00	100	844594.6	864.865			Tx : 16891892.000 Rx : 16891892.000 Loss : 0 Loss% : 0.00	3472	4417	3696.000
Trial: 1 / FS: 256 / Iter: 9	100.00	100	452898.5	927.536			Tx : 9057971.000 Rx : 9057971.000 Loss : 0 Loss% : 0.00	3310	4320	3612.000
Trial: 1 / FS: 512 / Iter: 9	100.00	100	234962.4	962.406			Tx : 4699248.000 Rx : 4699248.000 Loss : 0 Loss% : 0.00	3487	4322	3617.000
Trial: 1 / FS: 1024 / Iter: 9	100.00	100	119731.8	980.843			Tx : 2394636.000 Rx : 2394636.000 Loss : 0 Loss% : 0.00	3425	4322	3570.000
Trial: 1 / FS: 1280 / Iter: 9	100.00	100	96153.8	984.615			Tx : 1923077.000 Rx : 1923077.000 Loss : 0 Loss% : 0.00	3265	4305	3592.000
Trial: 1 / FS: 1518 / Iter: 9	100.00	100	81274.4	986.996			Tx : 1625488.000 Rx : 1625488.000 Loss : 0 Loss% : 0.00	3647	4497	3780.000

**RFC2544 - Throughput/Latency - Aggregated Results**

Trial / Framesize / Iteration	Agg L2 Throughput				Agg L1 Throughput		Throughput (frames)	Agg Latency		
	Agg Tx Rate %	Agg Rx Rate			Tx Rate Mbps	Rx Rate Mbps		Min (ns)	Max (ns)	Average (ns)
		%	FPS	Mbps						
Trial: 1 / FS: 64 / Iter: 1	10	10	148809.5	76.190			Tx : 2976190.000 Rx : 2976190.000 Loss : 0 Loss% : 0.00	3135	4080	3407.000
Trial: 1 / FS: 64 / Iter: 2	55	55	818452.5	419.048			Tx : 16369048.000 Rx : 16369048.000 Loss : 0 Loss% : 0.00	3120	4272	3405.000
Trial: 1 / FS: 64 / Iter: 3	78	78	1153274.7	590.477			Tx : 23065476.000 Rx : 23065476.000 Loss : 0 Loss% : 0.00	3120	4210	3405.000
Trial: 1 / FS: 64 / Iter: 4	89	89	1320685.0	676.191			Tx : 26413690.000 Rx : 26413690.000 Loss : 0 Loss% : 0.00	3120	4177	3422.000
Trial: 1 / FS: 64 / Iter: 5	94	94	1404391.1	719.048			Tx : 28087798.000 Rx : 28087798.000 Loss : 0 Loss% : 0.00	3247	4320	3478.000
Trial: 1 / FS: 64 / Iter: 6	97	97	1446242.7	740.476			Tx : 28924851.000 Rx : 28924851.000 Loss : 0 Loss% : 0.00	3327	4242	3520.000
Trial: 1 / FS: 64 / Iter: 7	99	99	1467169.8	751.191			Tx : 29343378.000 Rx : 29343378.000 Loss : 0 Loss% : 0.00	3312	4305	3543.000
Trial: 1 / FS: 64 / Iter: 8	99	99	1477633.5	756.548			Tx : 29552641.000 Rx : 29552641.000 Loss : 0 Loss% : 0.00	3440	4322	3568.000
Trial: 1 / FS: 64 / Iter: 9	100	100	1488095.2	761.905			Tx : 29761905.000 Rx : 29761905.000 Loss : 0 Loss% : 0.00	3345	4355	3638.000
Trial: 1 / FS: 128 / Iter: 1	10	10	84459.5	86.486			Tx : 1689189.000 Rx : 1689189.000 Loss : 0 Loss% : 0.00	3185	3760	3451.000
Trial: 1 / FS: 128 / Iter: 2	55	55	464527.2	475.676			Tx : 9290541.000 Rx : 9290541.000 Loss : 0 Loss% : 0.00	3185	4257	3456.000
Trial: 1 / FS: 128 / Iter: 3	78	78	654561.0	670.270			Tx : 13091216.000 Rx : 13091216.000 Loss : 0 Loss% : 0.00	3185	4207	3457.000
Trial: 1 / FS: 128 / Iter: 4	89	89	749577.8	767.568			Tx : 14991554.000 Rx : 14991554.000 Loss : 0 Loss% : 0.00	3247	4370	3485.000

Trial: 1 / FS: 128 / Iter: 5	94	94	797086.2	816.216	Tx : 15941723.000	3312	4305	3518.000
					Rx : 15941723.000			
					Loss : 0			
					Loss% : 0.00			
Trial: 1 / FS: 128 / Iter: 6	97	97	820840.6	840.541	Tx : 16416807.000	3375	4322	3551.000
					Rx : 16416807.000			
					Loss : 0			
					Loss% : 0.00			
Trial: 1 / FS: 128 / Iter: 7	99	99	832717.5	852.703	Tx : 16654350.000	3407	4290	3575.000
					Rx : 16654350.000			
					Loss : 0			
					Loss% : 0.00			
Trial: 1 / FS: 128 / Iter: 8	99	99	838656.3	858.784	Tx : 16773121.000	3422	4290	3591.000
					Rx : 16773121.000			
					Loss : 0			
					Loss% : 0.00			
Trial: 1 / FS: 128 / Iter: 9	100	100	844594.6	864.865	Tx : 16891892.000	3472	4417	3696.000
					Rx : 16891892.000			
					Loss : 0			
					Loss% : 0.00			
Trial: 1 / FS: 256 / Iter: 1	10	10	45289.9	92.754	Tx : 905797.000	3105	3665	3400.000
					Rx : 905797.000			
					Loss : 0			
					Loss% : 0.00			
Trial: 1 / FS: 256 / Iter: 2	55	55	249094.2	510.145	Tx : 4981884.000	3102	4130	3402.000
					Rx : 4981884.000			
					Loss : 0			
					Loss% : 0.00			
Trial: 1 / FS: 256 / Iter: 3	78	78	350996.4	718.841	Tx : 7019928.000	3102	3887	3402.000
					Rx : 7019928.000			
					Loss : 0			
					Loss% : 0.00			
Trial: 1 / FS: 256 / Iter: 4	89	89	401947.6	823.189	Tx : 8038949.000	3102	4255	3403.000
					Rx : 8038949.000			
					Loss : 0			
					Loss% : 0.00			
Trial: 1 / FS: 256 / Iter: 5	94	94	427423.1	875.362	Tx : 8548460.000	3102	4175	3405.000
					Rx : 8548460.000			
					Loss : 0			
					Loss% : 0.00			
Trial: 1 / FS: 256 / Iter: 6	97	97	440160.8	901.449	Tx : 8803216.000	3102	4177	3405.000
					Rx : 8803216.000			
					Loss : 0			
					Loss% : 0.00			
Trial: 1 / FS: 256 / Iter: 7	99	99	446529.8	914.493	Tx : 8930593.000	3150	4145	3423.000
					Rx : 8930593.000			
					Loss : 0			
					Loss% : 0.00			
Trial: 1 / FS: 256 / Iter: 8	99	99	449714.2	921.015	Tx : 8994282.000	3215	4240	3465.000
					Rx : 8994282.000			
					Loss : 0			
					Loss% : 0.00			
Trial: 1 / FS: 256 / Iter: 9	100	100	452898.5	927.536	Tx : 9057971.000	3310	4320	3612.000
					Rx : 9057971.000			
					Loss : 0			
					Loss% : 0.00			
Trial: 1 / FS: 512 / Iter: 1	10	10	23496.2	96.241	Tx : 469925.000	3120	4062	3399.000
					Rx : 469925.000			
					Loss : 0			
					Loss% : 0.00			

Trial: 1 / FS: 512 / Iter: 2	55	55	129229.3	529.323	Tx : 2584586.000	3105	3682	3403.000
					Rx : 2584586.000			
					Loss : 0			
					Loss% : 0.00			
Trial: 1 / FS: 512 / Iter: 3	78	78	182095.9	745.865	Tx : 3641917.000	3105	4050	3403.000
					Rx : 3641917.000			
					Loss : 0			
					Loss% : 0.00			
Trial: 1 / FS: 512 / Iter: 4	89	89	208529.1	854.135	Tx : 4170583.000	3105	3902	3403.000
					Rx : 4170583.000			
					Loss : 0			
					Loss% : 0.00			
Trial: 1 / FS: 512 / Iter: 5	94	94	221745.8	908.271	Tx : 4434915.000	3120	4272	3404.000
					Rx : 4434915.000			
					Loss : 0			
					Loss% : 0.00			
Trial: 1 / FS: 512 / Iter: 6	97	97	228354.1	935.338	Tx : 4567082.000	3182	4112	3439.000
					Rx : 4567082.000			
					Loss : 0			
					Loss% : 0.00			
Trial: 1 / FS: 512 / Iter: 7	99	99	231658.3	948.872	Tx : 4633165.000	3247	4225	3469.000
					Rx : 4633165.000			
					Loss : 0			
					Loss% : 0.00			
Trial: 1 / FS: 512 / Iter: 8	99	99	233310.3	955.639	Tx : 4666207.000	3310	4207	3494.000
					Rx : 4666207.000			
					Loss : 0			
					Loss% : 0.00			
Trial: 1 / FS: 512 / Iter: 9	100	100	234962.4	962.406	Tx : 4699248.000	3487	4322	3617.000
					Rx : 4699248.000			
					Loss : 0			
					Loss% : 0.00			
Trial: 1 / FS: 1024 / Iter: 1	10	10	11973.2	98.084	Tx : 239464.000	3135	3697	3405.000
					Rx : 239464.000			
					Loss : 0			
					Loss% : 0.00			
Trial: 1 / FS: 1024 / Iter: 2	55	55	65852.5	539.464	Tx : 1317050.000	3135	3697	3409.000
					Rx : 1317050.000			
					Loss : 0			
					Loss% : 0.00			
Trial: 1 / FS: 1024 / Iter: 3	78	78	92792.2	760.153	Tx : 1855843.000	3122	3697	3409.000
					Rx : 1855843.000			
					Loss : 0			
					Loss% : 0.00			
Trial: 1 / FS: 1024 / Iter: 4	89	89	106262.0	870.498	Tx : 2125239.000	3135	3697	3409.000
					Rx : 2125239.000			
					Loss : 0			
					Loss% : 0.00			
Trial: 1 / FS: 1024 / Iter: 5	94	94	112996.9	925.671	Tx : 2259938.000	3135	3760	3409.000
					Rx : 2259938.000			
					Loss : 0			
					Loss% : 0.00			
Trial: 1 / FS: 1024 / Iter: 6	97	97	116364.3	953.257	Tx : 2327287.000	3135	4112	3412.000
					Rx : 2327287.000			
					Loss : 0			
					Loss% : 0.00			
Trial: 1 / FS: 1024 / Iter: 7	99	99	118048.1	967.050	Tx : 2360961.000	3200	4097	3444.000
					Rx : 2360961.000			
					Loss : 0			
					Loss% : 0.00			

Trial: 1 / FS: 1024 / Iter: 8	99	99	118889.9	973.946	Tx :	2377799.000	3265	4192	3477.000
					Rx :	2377799.000			
					Loss :	0			
					Loss% :	0.00			
Trial: 1 / FS: 1024 / Iter: 9	100	100	119731.8	980.843	Tx :	2394636.000	3425	4322	3570.000
					Rx :	2394636.000			
					Loss :	0			
					Loss% :	0.00			
Trial: 1 / FS: 1280 / Iter: 1	10	10	9615.4	98.462	Tx :	192308.000	3135	3695	3405.000
					Rx :	192308.000			
					Loss :	0			
					Loss% :	0.00			
Trial: 1 / FS: 1280 / Iter: 2	55	55	52884.6	541.538	Tx :	1057692.000	3135	3712	3403.000
					Rx :	1057692.000			
					Loss :	0			
					Loss% :	0.00			
Trial: 1 / FS: 1280 / Iter: 3	78	78	74519.2	763.077	Tx :	1490385.000	3135	3712	3402.000
					Rx :	1490385.000			
					Loss :	0			
					Loss% :	0.00			
Trial: 1 / FS: 1280 / Iter: 4	89	89	85336.5	873.846	Tx :	1706731.000	3135	3727	3402.000
					Rx :	1706731.000			
					Loss :	0			
					Loss% :	0.00			
Trial: 1 / FS: 1280 / Iter: 5	94	94	90745.2	929.231	Tx :	1814904.000	3135	3697	3402.000
					Rx :	1814904.000			
					Loss :	0			
					Loss% :	0.00			
Trial: 1 / FS: 1280 / Iter: 6	97	97	93449.5	956.923	Tx :	1868990.000	3135	3967	3404.000
					Rx :	1868990.000			
					Loss :	0			
					Loss% :	0.00			
Trial: 1 / FS: 1280 / Iter: 7	99	99	94801.7	970.769	Tx :	1896034.000	3150	4047	3407.000
					Rx :	1896034.000			
					Loss :	0			
					Loss% :	0.00			
Trial: 1 / FS: 1280 / Iter: 8	99	99	95477.8	977.692	Tx :	1909555.000	3165	4145	3414.000
					Rx :	1909555.000			
					Loss :	0			
					Loss% :	0.00			
Trial: 1 / FS: 1280 / Iter: 9	100	100	96153.8	984.615	Tx :	1923077.000	3265	4305	3592.000
					Rx :	1923077.000			
					Loss :	0			
					Loss% :	0.00			
Trial: 1 / FS: 1518 / Iter: 1	10	10	8127.4	98.700	Tx :	162549.000	3327	3887	3600.000
					Rx :	162549.000			
					Loss :	0			
					Loss% :	0.00			
Trial: 1 / FS: 1518 / Iter: 2	55	55	44700.9	542.848	Tx :	894018.000	3327	3905	3601.000
					Rx :	894018.000			
					Loss :	0			
					Loss% :	0.00			
Trial: 1 / FS: 1518 / Iter: 3	78	78	62987.6	764.922	Tx :	1259753.000	3327	3905	3601.000
					Rx :	1259753.000			
					Loss :	0			
					Loss% :	0.00			
Trial: 1 / FS: 1518 / Iter: 4	89	89	72131.0	875.959	Tx :	1442620.000	3327	3905	3601.000
					Rx :	1442620.000			
					Loss :	0			
					Loss% :	0.00			

Trial: 1 / FS: 1518 / Iter: 5	94	94	76702.7	931.478	Tx :	1534054.000	3327	3905	3601.000
					Rx :	1534054.000			
					Loss :	0			
					Loss% :	0.00			
Trial: 1 / FS: 1518 / Iter: 6	97	97	78988.5	959.237	Tx :	1579771.000	3327	4050	3602.000
					Rx :	1579771.000			
					Loss :	0			
					Loss% :	0.00			
Trial: 1 / FS: 1518 / Iter: 7	99	99	80131.5	973.117	Tx :	1602629.000	3345	4207	3621.000
					Rx :	1602629.000			
					Loss :	0			
					Loss% :	0.00			
Trial: 1 / FS: 1518 / Iter: 8	99	99	80702.9	980.056	Tx :	1614058.000	3375	4350	3647.000
					Rx :	1614058.000			
					Loss :	0			
					Loss% :	0.00			
Trial: 1 / FS: 1518 / Iter: 9	100	100	81274.4	986.996	Tx :	1625488.000	3647	4497	3780.000
					Rx :	1625488.000			
					Loss :	0			
					Loss% :	0.00			



**RFC2544 - Throughput/Latency - Per Flow Statistics - Part 1 of 2**

Tial / Framesize / Iteration	Tx Port	Rx Port	Flow Group	L2 Throughput				L1 Throughput		Throughput (frames)			
				Tx Rate %	Rx Rate			Tx Rate Mbps	Rx Rate Mbps				
					%	FPS	Mbps						
Trial: 1 / FS: 64 / Iter: 9	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	100.00	100	1488095.2	761.91			Tx : 29761905	Rx : 29761905	Loss : 0	Loss% : 0.000
Trial: 1 / FS: 128 / Iter: 9	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	100.00	100	844594.6	864.87			Tx : 16891892	Rx : 16891892	Loss : 0	Loss% : 0.000
Trial: 1 / FS: 256 / Iter: 9	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	100.00	100	452898.5	927.54			Tx : 9057971	Rx : 9057971	Loss : 0	Loss% : 0.000
Trial: 1 / FS: 512 / Iter: 9	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	100.00	100	234962.4	962.41			Tx : 4699248	Rx : 4699248	Loss : 0	Loss% : 0.000
Trial: 1 / FS: 1024 / Iter: 9	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	100.00	100	119731.8	980.84			Tx : 2394636	Rx : 2394636	Loss : 0	Loss% : 0.000
Trial: 1 / FS: 1280 / Iter: 9	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	100.00	100	96153.8	984.62			Tx : 1923077	Rx : 1923077	Loss : 0	Loss% : 0.000
Trial: 1 / FS: 1518 / Iter: 9	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	100.00	100	81274.4	987.00			Tx : 1625488	Rx : 1625488	Loss : 0	Loss% : 0.000

**RFC2544 - Throughput/Latency - Per Flow Statistics - Part 2 of 2**

Trial / Framesize / Iteration	Tx Port	Rx Port	Flow Group	Min Latency (ns)	Max Latency (ns)	Avg Latency (ns)
Trial: 1 / FS: 64 / Iter: 9	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	3345	4355	3638
Trial: 1 / FS: 128 / Iter: 9	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	3472	4417	3696
Trial: 1 / FS: 256 / Iter: 9	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	3310	4320	3612
Trial: 1 / FS: 512 / Iter: 9	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	3487	4322	3617
Trial: 1 / FS: 1024 / Iter: 9	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	3425	4322	3570
Trial: 1 / FS: 1280 / Iter: 9	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	3265	4305	3592
Trial: 1 / FS: 1518 / Iter: 9	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	3647	4497	3780

**RFC2544 - Throughput/Latency - Iteration Statistics - Part 1 of 2**

Trial / Framesize / Iteration	Tx Port	Rx Port	Flow Group	L2 Throughput				L1 Throughput		Throughput (frames)	
				Tx Rate %	Rx Rate			Tx Rate Mbps	Rx Rate Mbps	Tx	Rx
					%	FPS	Mbps				
Trial: 1 / FS: 64 / Iter: 1	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	10.00	10.00	148809.5	76.19			Tx : 2976190 Rx : 2976190 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 64 / Iter: 2	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	55.00	55.00	818452.5	419.05			Tx : 16369048 Rx : 16369048 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 64 / Iter: 3	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	77.50	77.50	1153274.7	590.48			Tx : 23065476 Rx : 23065476 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 64 / Iter: 4	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	88.75	88.75	1320685.0	676.19			Tx : 26413690 Rx : 26413690 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 64 / Iter: 5	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	94.38	94.38	1404391.1	719.05			Tx : 28087798 Rx : 28087798 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 64 / Iter: 6	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	97.19	97.19	1446242.7	740.48			Tx : 28924851 Rx : 28924851 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 64 / Iter: 7	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	98.59	98.59	1467169.8	751.19			Tx : 29343378 Rx : 29343378 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 64 / Iter: 8	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	99.30	99.30	1477633.5	756.55			Tx : 29552641 Rx : 29552641 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 64 / Iter: 9	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	100.00	100.00	1488095.2	761.91			Tx : 29761905 Rx : 29761905 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 128 / Iter: 1	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	10.00	10.00	84459.5	86.49			Tx : 1689189 Rx : 1689189 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 128 / Iter: 2	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	55.00	55.00	464527.2	475.68			Tx : 9290541 Rx : 9290541 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 128 / Iter: 3	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	77.50	77.50	654561.0	670.27			Tx : 13091216 Rx : 13091216 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 128 / Iter: 4	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	88.75	88.75	749577.8	767.57			Tx : 14991554 Rx : 14991554 Loss : 0 Loss% : 0.000	

Trial: 1 / FS: 128 / Iter: 5	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	94.38	94.38	797086.2	816.22	Tx : Rx : Loss : Loss% :	15941723 15941723 0 0.000
Trial: 1 / FS: 128 / Iter: 6	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	97.19	97.19	820840.6	840.54	Tx : Rx : Loss : Loss% :	16416807 16416807 0 0.000
Trial: 1 / FS: 128 / Iter: 7	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	98.59	98.59	832717.5	852.70	Tx : Rx : Loss : Loss% :	16654350 16654350 0 0.000
Trial: 1 / FS: 128 / Iter: 8	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	99.30	99.30	838656.3	858.78	Tx : Rx : Loss : Loss% :	16773121 16773121 0 0.000
Trial: 1 / FS: 128 / Iter: 9	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	100.00	100.00	844594.6	864.87	Tx : Rx : Loss : Loss% :	16891892 16891892 0 0.000
Trial: 1 / FS: 256 / Iter: 1	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	10.00	10.00	45289.9	92.75	Tx : Rx : Loss : Loss% :	905797 905797 0 0.000
Trial: 1 / FS: 256 / Iter: 2	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	55.00	55.00	249094.2	510.15	Tx : Rx : Loss : Loss% :	4981884 4981884 0 0.000
Trial: 1 / FS: 256 / Iter: 3	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	77.50	77.50	350996.4	718.84	Tx : Rx : Loss : Loss% :	7019928 7019928 0 0.000
Trial: 1 / FS: 256 / Iter: 4	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	88.75	88.75	401947.6	823.19	Tx : Rx : Loss : Loss% :	8038949 8038949 0 0.000
Trial: 1 / FS: 256 / Iter: 5	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	94.38	94.38	427423.1	875.36	Tx : Rx : Loss : Loss% :	8548460 8548460 0 0.000
Trial: 1 / FS: 256 / Iter: 6	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	97.19	97.19	440160.8	901.45	Tx : Rx : Loss : Loss% :	8803216 8803216 0 0.000
Trial: 1 / FS: 256 / Iter: 7	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	98.59	98.59	446529.8	914.49	Tx : Rx : Loss : Loss% :	8930593 8930593 0 0.000
Trial: 1 / FS: 256 / Iter: 8	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	99.30	99.30	449714.2	921.02	Tx : Rx : Loss : Loss% :	8994282 8994282 0 0.000
Trial: 1 / FS: 256 / Iter: 9	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	100.00	100.00	452898.5	927.54	Tx : Rx : Loss : Loss% :	9057971 9057971 0 0.000
Trial: 1 / FS: 512 / Iter: 1	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	10.00	10.00	23496.2	96.24	Tx : Rx : Loss : Loss% :	469925 469925 0 0.000

Trial: 1 / FS: 512 / Iter: 2	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	55.00	55.00	129229.3	529.32	Tx : Rx : Loss : Loss% :	2584586 2584586 0 0.000
Trial: 1 / FS: 512 / Iter: 3	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	77.50	77.50	182095.9	745.87	Tx : Rx : Loss : Loss% :	3641917 3641917 0 0.000
Trial: 1 / FS: 512 / Iter: 4	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	88.75	88.75	208529.1	854.14	Tx : Rx : Loss : Loss% :	4170583 4170583 0 0.000
Trial: 1 / FS: 512 / Iter: 5	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	94.38	94.38	221745.8	908.27	Tx : Rx : Loss : Loss% :	4434915 4434915 0 0.000
Trial: 1 / FS: 512 / Iter: 6	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	97.19	97.19	228354.1	935.34	Tx : Rx : Loss : Loss% :	4567082 4567082 0 0.000
Trial: 1 / FS: 512 / Iter: 7	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	98.59	98.59	231658.3	948.87	Tx : Rx : Loss : Loss% :	4633165 4633165 0 0.000
Trial: 1 / FS: 512 / Iter: 8	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	99.30	99.30	233310.3	955.64	Tx : Rx : Loss : Loss% :	4666207 4666207 0 0.000
Trial: 1 / FS: 512 / Iter: 9	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	100.00	100.00	234962.4	962.41	Tx : Rx : Loss : Loss% :	4699248 4699248 0 0.000
Trial: 1 / FS: 1024 / Iter: 1	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	10.00	10.00	11973.2	98.08	Tx : Rx : Loss : Loss% :	239464 239464 0 0.000
Trial: 1 / FS: 1024 / Iter: 2	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	55.00	55.00	65852.5	539.46	Tx : Rx : Loss : Loss% :	1317050 1317050 0 0.000
Trial: 1 / FS: 1024 / Iter: 3	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	77.50	77.50	92792.2	760.15	Tx : Rx : Loss : Loss% :	1855843 1855843 0 0.000
Trial: 1 / FS: 1024 / Iter: 4	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	88.75	88.75	106262.0	870.50	Tx : Rx : Loss : Loss% :	2125239 2125239 0 0.000
Trial: 1 / FS: 1024 / Iter: 5	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	94.38	94.38	112996.9	925.67	Tx : Rx : Loss : Loss% :	2259938 2259938 0 0.000
Trial: 1 / FS: 1024 / Iter: 6	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	97.19	97.19	116364.3	953.26	Tx : Rx : Loss : Loss% :	2327287 2327287 0 0.000
Trial: 1 / FS: 1024 / Iter: 7	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	98.59	98.59	118048.1	967.05	Tx : Rx : Loss : Loss% :	2360961 2360961 0 0.000

Trial: 1 / FS: 1024 / Iter: 8	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	99.30	99.30	118889.9	973.95	Tx : Rx : Loss : Loss% :	2377799 2377799 0 0.000
Trial: 1 / FS: 1024 / Iter: 9	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	100.00	100.00	119731.8	980.84	Tx : Rx : Loss : Loss% :	2394636 2394636 0 0.000
Trial: 1 / FS: 1280 / Iter: 1	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	10.00	10.00	9615.4	98.46	Tx : Rx : Loss : Loss% :	192308 192308 0 0.000
Trial: 1 / FS: 1280 / Iter: 2	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	55.00	55.00	52884.6	541.54	Tx : Rx : Loss : Loss% :	1057692 1057692 0 0.000
Trial: 1 / FS: 1280 / Iter: 3	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	77.50	77.50	74519.2	763.08	Tx : Rx : Loss : Loss% :	1490385 1490385 0 0.000
Trial: 1 / FS: 1280 / Iter: 4	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	88.75	88.75	85336.5	873.85	Tx : Rx : Loss : Loss% :	1706731 1706731 0 0.000
Trial: 1 / FS: 1280 / Iter: 5	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	94.38	94.38	90745.2	929.23	Tx : Rx : Loss : Loss% :	1814904 1814904 0 0.000
Trial: 1 / FS: 1280 / Iter: 6	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	97.19	97.19	93449.5	956.92	Tx : Rx : Loss : Loss% :	1868990 1868990 0 0.000
Trial: 1 / FS: 1280 / Iter: 7	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	98.59	98.59	94801.7	970.77	Tx : Rx : Loss : Loss% :	1896034 1896034 0 0.000
Trial: 1 / FS: 1280 / Iter: 8	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	99.30	99.30	95477.8	977.69	Tx : Rx : Loss : Loss% :	1909555 1909555 0 0.000
Trial: 1 / FS: 1280 / Iter: 9	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	100.00	100.00	96153.8	984.62	Tx : Rx : Loss : Loss% :	1923077 1923077 0 0.000
Trial: 1 / FS: 1518 / Iter: 1	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	10.00	10.00	8127.4	98.70	Tx : Rx : Loss : Loss% :	162549 162549 0 0.000
Trial: 1 / FS: 1518 / Iter: 2	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	55.00	55.00	44700.9	542.85	Tx : Rx : Loss : Loss% :	894018 894018 0 0.000
Trial: 1 / FS: 1518 / Iter: 3	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	77.50	77.50	62987.6	764.92	Tx : Rx : Loss : Loss% :	1259753 1259753 0 0.000
Trial: 1 / FS: 1518 / Iter: 4	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	88.75	88.75	72131.0	875.96	Tx : Rx : Loss : Loss% :	1442620 1442620 0 0.000

Trial: 1 / FS: 1518 / Iter: 5	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	94.38	94.38	76702.7	931.48	Tx : 1534054
								Rx : 1534054
								Loss : 0
								Loss% : 0.000
Trial: 1 / FS: 1518 / Iter: 6	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	97.19	97.19	78988.5	959.24	Tx : 1579771
								Rx : 1579771
								Loss : 0
								Loss% : 0.000
Trial: 1 / FS: 1518 / Iter: 7	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	98.59	98.59	80131.5	973.12	Tx : 1602629
								Rx : 1602629
								Loss : 0
								Loss% : 0.000
Trial: 1 / FS: 1518 / Iter: 8	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	99.30	99.30	80702.9	980.06	Tx : 1614058
								Rx : 1614058
								Loss : 0
								Loss% : 0.000
Trial: 1 / FS: 1518 / Iter: 9	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	100.00	100.00	81274.4	987.00	Tx : 1625488
								Rx : 1625488
								Loss : 0
								Loss% : 0.000

## RFC2544 - Throughput/Latency - Iteration Statistics - Part 2 of 2

Trial / Framesize / Iteration	Tx Port	Rx Port	Flow Group	Min Latency (ns)	Max Latency (ns)	Avg Latency (ns)
Trial: 1 / FS: 64 / Iter: 1	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	3135	4080	3407.00
Trial: 1 / FS: 64 / Iter: 2	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	3120	4272	3405.00
Trial: 1 / FS: 64 / Iter: 3	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	3120	4210	3405.00
Trial: 1 / FS: 64 / Iter: 4	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	3120	4177	3422.00
Trial: 1 / FS: 64 / Iter: 5	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	3247	4320	3478.00
Trial: 1 / FS: 64 / Iter: 6	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	3327	4242	3520.00
Trial: 1 / FS: 64 / Iter: 7	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	3312	4305	3543.00
Trial: 1 / FS: 64 / Iter: 8	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	3440	4322	3568.00
Trial: 1 / FS: 64 / Iter: 9	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	3345	4355	3638.00
Trial: 1 / FS: 128 / Iter: 1	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	3185	3760	3451.00
Trial: 1 / FS: 128 / Iter: 2	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	3185	4257	3456.00
Trial: 1 / FS: 128 / Iter: 3	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	3185	4207	3457.00
Trial: 1 / FS: 128 / Iter: 4	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	3247	4370	3485.00
Trial: 1 / FS: 128 / Iter: 5	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	3312	4305	3518.00
Trial: 1 / FS: 128 / Iter: 6	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	3375	4322	3551.00
Trial: 1 / FS: 128 / Iter: 7	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	3407	4290	3575.00
Trial: 1 / FS: 128 / Iter: 8	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	3422	4290	3591.00
Trial: 1 / FS: 128 / Iter: 9	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	3472	4417	3696.00
Trial: 1 / FS: 256 / Iter: 1	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	3105	3665	3400.00



Trial: 1 / FS: 256 / Iter: 2	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	3102	4130	3402.00
Trial: 1 / FS: 256 / Iter: 3	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	3102	3887	3402.00
Trial: 1 / FS: 256 / Iter: 4	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	3102	4255	3403.00
Trial: 1 / FS: 256 / Iter: 5	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	3102	4175	3405.00
Trial: 1 / FS: 256 / Iter: 6	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	3102	4177	3405.00
Trial: 1 / FS: 256 / Iter: 7	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	3150	4145	3423.00
Trial: 1 / FS: 256 / Iter: 8	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	3215	4240	3465.00
Trial: 1 / FS: 256 / Iter: 9	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	3310	4320	3612.00
Trial: 1 / FS: 512 / Iter: 1	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	3120	4062	3399.00
Trial: 1 / FS: 512 / Iter: 2	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	3105	3682	3403.00
Trial: 1 / FS: 512 / Iter: 3	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	3105	4050	3403.00
Trial: 1 / FS: 512 / Iter: 4	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	3105	3902	3403.00
Trial: 1 / FS: 512 / Iter: 5	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	3120	4272	3404.00
Trial: 1 / FS: 512 / Iter: 6	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	3182	4112	3439.00
Trial: 1 / FS: 512 / Iter: 7	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	3247	4225	3469.00
Trial: 1 / FS: 512 / Iter: 8	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	3310	4207	3494.00
Trial: 1 / FS: 512 / Iter: 9	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	3487	4322	3617.00
Trial: 1 / FS: 1024 / Iter: 1	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	3135	3697	3405.00
Trial: 1 / FS: 1024 / Iter: 2	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	3135	3697	3409.00
Trial: 1 / FS: 1024 / Iter: 3	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	3122	3697	3409.00
Trial: 1 / FS: 1024 / Iter: 4	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	3135	3697	3409.00

Trial: 1 / FS: 1024 / Iter: 5	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	3135	3760	3409.00
Trial: 1 / FS: 1024 / Iter: 6	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	3135	4112	3412.00
Trial: 1 / FS: 1024 / Iter: 7	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	3200	4097	3444.00
Trial: 1 / FS: 1024 / Iter: 8	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	3265	4192	3477.00
Trial: 1 / FS: 1024 / Iter: 9	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	3425	4322	3570.00
Trial: 1 / FS: 1280 / Iter: 1	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	3135	3695	3405.00
Trial: 1 / FS: 1280 / Iter: 2	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	3135	3712	3403.00
Trial: 1 / FS: 1280 / Iter: 3	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	3135	3712	3402.00
Trial: 1 / FS: 1280 / Iter: 4	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	3135	3727	3402.00
Trial: 1 / FS: 1280 / Iter: 5	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	3135	3697	3402.00
Trial: 1 / FS: 1280 / Iter: 6	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	3135	3967	3404.00
Trial: 1 / FS: 1280 / Iter: 7	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	3150	4047	3407.00
Trial: 1 / FS: 1280 / Iter: 8	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	3165	4145	3414.00
Trial: 1 / FS: 1280 / Iter: 9	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	3265	4305	3592.00
Trial: 1 / FS: 1518 / Iter: 1	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	3327	3887	3600.00
Trial: 1 / FS: 1518 / Iter: 2	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	3327	3905	3601.00
Trial: 1 / FS: 1518 / Iter: 3	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	3327	3905	3601.00
Trial: 1 / FS: 1518 / Iter: 4	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	3327	3905	3601.00
Trial: 1 / FS: 1518 / Iter: 5	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	3327	3905	3601.00
Trial: 1 / FS: 1518 / Iter: 6	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	3327	4050	3602.00
Trial: 1 / FS: 1518 / Iter: 7	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	3345	4207	3621.00

Trial: 1 / FS: 1518 / Iter: 8	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	3375	4350	3647.00
Trial: 1 / FS: 1518 / Iter: 9	Ethernet - 001	Ethernet - 002	S3200P-24T4X-Endpoint Set-1 - Flow Group 0001	3647	4497	3780.00

**Theoretical maximum Frame Rates (frames/second) for different frame sizes (bytes)**

Speed	64	128	256	512	1024	1280	1518
10 Mbps	14881	8446	4529	2350	1198	962	813
100 Mbps	148810	84460	45290	23497	11973	9616	8128
1000 Mbps	1488096	844595	452899	234963	119732	96154	81275
10 Gbps	14880952	8445946	4528986	2349625	1197318	961539	812744
25 Gbps	37202380	21114864	11322463	5874060	2993295	2403846	2031859
40 Gbps	59523809	33783783	18115942	9398496	4789272	3846153	3250975
100 Gbps	148809523	84459459	45289855	23496240	11973180	9615384	8127438
155 Mbps (Oc - 3)	288000	145116	72840	36491	18263	14614	12324
622 Mbps (Oc - 12)	1152000	580465	291362	145965	73054	58454	49296
2488 Mbps (Oc - 48)	4608000	2321860	1165447	583860	292215	233817	197182
9952 Mbps (Oc - 192)	18432000	9287442	4661790	2335439	1168859	935270	788730